

Welcome to CS152 - Neural Networks!

Spring 2025

Prof. Gabe Hope

Warm-up discussion

- What is an application, program or system that you *at least suspect* uses neural networks in some way?
 - Why is this system useful? Does it have an important benefit for society?
 - What risks does this system have? Is it used maliciously?
- **But first: Introductions!**
 - **Going around:** Introduce yourself with your name, year and major
 - *Optionally:* Is there something you are particularly excited to learn about in this class?

Applications of neural networks

Prediction

Predict output given an input

Image classification

Example: Google lens




Identify plants and animals

Find out what plant is in your friend's apartment, or what kind of dog you saw in the park.

Medical diagnosis

Example: Breast cancer diagnosis from Microsoft Research



**Transforming Breast Cancer Detection
with AI**

Weather prediction


Example: GraphCast weather forecasting

GraphCast: AI model for faster and
more accurate global weather
forecasting

14 NOVEMBER 2023

Remi Lam on behalf of the GraphCast team

[Share](#)




Detection

Find instances of a pattern

Object detection


Example: YOLO (You Only Look Once)

**You Only Look Once:
Unified, Real-Time Object Detection**



Activation phrase recognition

Example: Siri




Transformation

Improve or translate an input in some way

Language translation

Example: Google Translate



Grammar checking

Example: Grammarly





I think our team might be helped to reach
peak performance with better communication.
Can you take a look at this project porposal.

Use our best version [Beta](#)


Better communication can help our team reach peak performance. Can you take a look at this project **proposal?**

 Dismiss

 See more in Grammarly

Photo enhancement

Example: AI tools in Photoshop




Next-gen Generative Fill.

Add rich, detailed elements that blend seamlessly into a scene using the most advanced Generative Fill yet. Now with the latest Adobe Firefly Image Model.



Add new backgrounds instantly.

Use Generate Background to swap your scenery for a new setting that seamlessly blends with your subject.



Remove wires and people.

Tidy up your scene in a click. Distraction Removal in the Remove tool automatically detects and deletes unwanted elements like wires and people in the background.

Generation

Create new data

Language models

Example: ChatGPT



ChatGPT

Share

Why should students take neural networks?



Students should take a course on neural networks because it provides a strong foundation in one of the most influential and rapidly evolving areas of computer science and artificial intelligence. Here are several compelling reasons:

1. Understanding Key Concepts in AI and ML

- Neural networks are the backbone of modern AI systems. By studying them, students gain insight into how machines can learn from data, recognize patterns, and make

Message ChatGPT





Image models

Example: Dall-e 3

DALL-E 3



Approximation


Approximate complex physical systems

Molecular dynamics simulation

Example: AlphaFold

AlphaFold

Accelerating breakthroughs in biology with AI




Multi-view simulation

Example: Neural Radiance Fields

NeRF

Representing Scenes as Neural Radiance Fields for View Synthesis



Neural networks have implications

‘Impossible’ to create AI tools like ChatGPT without copyrighted material, OpenAI says



MARKETS BUSINESS INVESTING TECH POLITICS VIDEO INVE

TECHNOLOGY EXECUTIVE COUNCIL

AI tools such as ChatGPT are generating a mammoth increase in malicious phishing emails

PUBLISHED TUE, NOV 28 2023•10:39 AM EST

intelligence firms over the products

Explained: Generative AI’s environmental impact

Rapid development and deployment of powerful generative AI models comes with environmental consequences, including increased electricity demand and water consumption.

Adam Zewe | MIT News
January 17, 2025



RESEARCH

AI-Generated Misinformation is Everywhere. ID’ing It May Be Harder Than You Think

UMD Experts Explain the Emotional Pulls and Cognitive Pitfalls—and How to Avoid Them

By Chris Carroll / Oct 09, 2024



The Risks of Artificial Intelligence in Weapons Design

Researchers outline dangers of developing AI-powered autonomous weapons

By CATHERINE CARUSO | August 7, 2024 | Research
6 min read




Josh Ritchie for ProPublica

Machine Bias


There’s software used across the country to predict future criminals. And it’s biased against blacks.

My work


Timeseries analysis



Semi-supervised learning



Imputation




Course Logistics (website)

Prediction problems

Setup

Example: Appendicitis diagnosis




Some notation:

$$\text{Input: } \mathbf{x} \xrightarrow{\text{predict}} \text{Output: } y, \quad y = f(\mathbf{x})$$


Prediction *function*

Preview: Machine learning

How do we find a good prediction function?




Learn from examples



Dataset

Set of known inputs and outputs



Some notation:

$$\mathcal{D} = \{(\mathbf{x}_1, y_1), (\mathbf{x}_2, y_2), \dots, (\mathbf{x}_N, y_N)\}$$

Types of data


Tabular

Records: e.g. Excel, SQL, Pandas


Patients with abdominal pain

	Age	Appendix Size	Migratory Pain	RBC Count	RBC Urine	Peritonitis
0	9.61	9.0	no	5.18	high	local
1	5.11	7.0	no	4.55	medium	local
2	10.75	5.0	no	4.79	none	no
3	10.51	9.0	no	5.03	none	local
4	7.3	6.2	yes	4.64	low	no
5	15.21	8.5	yes	4.62	low	no
6	15.83	12.0	yes	4.33	high	no
7	9.58	7.0	yes	5.04	low	generalized
8	10.37	5.5	no	4.8	none	no
9	16.66	9.0	yes	5.31	none	no
10	14.52	4.5	yes	4.9	none	no
11	10.74	9.0	no	5.66	none	local
12	12.41	3.7	no	5.49	none	no
13	6.67	3.5	no	5.27	none	no
14	14.36	9.0	yes	4.84	low	local
15	9.04	5.3	yes	4.92	low	no
16	12.43	12.0	yes	4.62	none	generalized

➔ Data and Dataset Types



➔ Dataset Types




Credit: Tamara Munzer

Types of data Networks


Molecules, social networks, etc.

→ Data and Dataset Types




→ Dataset Types


→ Tables




→ Networks




→ Fields (Continuous)




→ Multidimensional Table



→ Trees






Credit: Tamara Munzer



Types of data Fields

Images, audio, medical scans, etc.



→ Data and Dataset Types

Tables

Items

Attributes

Networks &
Trees

Items (nodes)

Links

Attributes

Fields

Grids

Positions

Attributes

Geometry

Items


Positions

Clusters,
Sets, Lists


Items

→ Dataset Types


→ Tables




→ Networks




→ Fields (Continuous)



→ Multidimensional Table



→ Trees



Credit: Tamara Munzer

Tabular data

Patients with abdominal pain

	Age	Appendix Size	Migratory Pain	RBC Count	RBC Urine	Peritonitis
0	9.61	9.0	no	5.18	high	local
1	5.11	7.0	no	4.55	medium	local
2	10.75	5.0	no	4.79	none	no
3	10.51	9.0	no	5.03	none	local
4	7.3	6.2	yes	4.64	low	no
5	15.21	8.5	yes	4.62	low	no
6	15.83	12.0	yes	4.33	high	no
7	9.58	7.0	yes	5.04	low	generalized
8	10.37	5.5	no	4.8	none	no
9	16.66	9.0	yes	5.31	none	no
10	14.52	4.5	yes	4.9	none	no
11	10.74	9.0	no	5.66	none	local
12	12.41	3.7	no	5.49	none	no
13	6.67	3.5	no	5.27	none	no
14	14.36	9.0	yes	4.84	low	local
15	9.04	5.3	yes	4.92	low	no
16	12.43	12.0	yes	4.62	none	generalized


Tabular data



Patient 1
Age: 9.61
Pain: no
RBC: 5.18
Peritonitis: local



Patient 2
Age: 5.11
Pain: no
RBC: 4.55
Peritonitis: local



Patient 7
Age: 10.75
Pain: no
RBC: 4.79
Peritonitis: no

Patients

Patients with abdominal pain

	Age	Appendix Size	Migratory Pain	RBC Count	RBC Urine	Peritonitis
0	9.61	9.0	no	5.18	high	local
1	5.11	7.0	no	4.55	medium	local
2	10.75	5.0	no	4.79	none	no
3	10.51	9.0	no	5.03	none	local
4	7.3	6.2	yes	4.64	low	no
5	15.21	8.5	yes	4.62	low	no
6	15.83	12.0	yes	4.33	high	no
7	9.58	7.0	yes	5.04	low	generalized
8	10.37	5.5	no	4.8	none	no
9	16.66	9.0	yes	5.31	none	no
10	14.52	4.5	yes	4.9	none	no
11	10.74	9.0	no	5.66	none	local
12	12.41	3.7	no	5.49	none	no
13	6.67	3.5	no	5.27	none	no
14	14.36	9.0	yes	4.84	low	local
15	9.04	5.3	yes	4.92	low	no
16	12.43	12.0	yes	4.62	none	generalized

Table


Tabular data



Patient 1
Age: 9.61
Pain: no
RBC: 5.18
Peritonitis: local



Patient 2
Age: 5.11
Pain: no
RBC: 4.55
Peritonitis: local



Patient 7
Age: 10.75
Pain: no
RBC: 4.79
Peritonitis: no

Patients with abdominal pain


	Age	Appendix Size	Migratory Pain	RBC Count	RBC Urine	Peritonitis
0	9.61	9.0	no	5.18	high	local
1	5.11	7.0	no	4.55	medium	local
2	10.75	5.0	no	4.79	none	no
3	10.51	9.0	no	5.03	none	local
4	7.3	6.2	yes	4.64	low	no
5	15.21	8.5	yes	4.62	low	no
6	15.83	12.0	yes	4.33	high	no
7	9.58	7.0	yes	5.04	low	generalized
8	10.37	5.5	no	4.8	none	no
9	16.66	9.0	yes	5.31	none	no
10	14.52	4.5	yes	4.9	none	no
11	10.74	9.0	no	5.66	none	local
12	12.41	3.7	no	5.49	none	no
13	6.67	3.5	no	5.27	none	no
14	14.36	9.0	yes	4.84	low	local
15	9.04	5.3	yes	4.92	low	no
16	12.43	12.0	yes	4.62	none	generalized

Observation


Patients

Table


Tabular data



Tabular data



Tabular data



Types of features

Patients with abdominal pain

	Age	Appendix Size	Migratory Pain	RBC Count	RBC Urine	Peritonitis
0	9.61	9.0	no	5.18	high	local
1	5.11	7.0	no	4.55	medium	local
2	10.75	5.0	no	4.79	none	no
3	10.51	9.0	no	5.03	none	local
4	7.3	6.2	yes	4.64	low	no
5	15.21	8.5	yes	4.62	low	no
6	15.83	12.0	yes	4.33	high	no
7	9.58	7.0	yes	5.04	low	generalized
8	10.37	5.5	no	4.8	none	no
9	16.66	9.0	yes	5.31	none	no
10	14.52	4.5	yes	4.9	none	no
11	10.74	9.0	no	5.66	none	local
12	12.41	3.7	no	5.49	none	no
13	6.67	3.5	no	5.27	none	no
14	14.36	9.0	yes	4.84	low	local
15	9.04	5.3	yes	4.92	low	no
16	12.43	12.0	yes	4.62	none	generalized

Quantitative

E.g. 3, 2.7, -43, 8.2, etc.

Categorical (or Boolean)

E.g. True/False, {“*local*”, “*generalized*”, ...}

Ordinal

E.g. {*low*, *medium*, *high*...}

Types of features

Patients with abdominal pain

	Age	Appendix Size	Migratory Pain	RBC Count	RBC Urine	Peritonitis
0	9.61	9.0	no	5.18	high	local
1	5.11	7.0	no	4.55	medium	local
2	10.75	5.0	no	4.79	none	no
3	10.51	9.0	no	5.03	none	local
4	7.3	6.2	yes	4.64	low	no
5	15.21	8.5	yes	4.62	low	no
6	15.83	12.0	yes	4.33	high	no
7	9.58	7.0	yes	5.04	low	generalized
8	10.37	5.5	no	4.8	none	no
9	16.66	9.0	yes	5.31	none	no
10	14.52	4.5	yes	4.9	none	no
11	10.74	9.0	no	5.66	none	local
12	12.41	3.7	no	5.49	none	no
13	6.67	3.5	no	5.27	none	no
14	14.36	9.0	yes	4.84	low	local
15	9.04	5.3	yes	4.92	low	no
16	12.43	12.0	yes	4.62	none	generalized

Quantitative

E.g. 3, 2.7, -43, 8.2, etc.

Categorical (or Boolean)

E.g. True/False, {“*local*”, “*generalized*”, ...}

Ordinal

E.g. {*low, medium, high...*}

Types of features

Patients with abdominal pain

	Age	Appendix Size	Migratory Pain	RBC Count	RBC Urine	Peritonitis
0	9.61	9.0	no	5.18	high	local
1	5.11	7.0	no	4.55	medium	local
2	10.75	5.0	no	4.79	none	no
3	10.51	9.0	no	5.03	none	local
4	7.3	6.2	yes	4.64	low	no
5	15.21	8.5	yes	4.62	low	no
6	15.83	12.0	yes	4.33	high	no
7	9.58	7.0	yes	5.04	low	generalized
8	10.37	5.5	no	4.8	none	no
9	16.66	9.0	yes	5.31	none	no
10	14.52	4.5	yes	4.9	none	no
11	10.74	9.0	no	5.66	none	local
12	12.41	3.7	no	5.49	none	no
13	6.67	3.5	no	5.27	none	no
14	14.36	9.0	yes	4.84	low	local
15	9.04	5.3	yes	4.92	low	no
16	12.43	12.0	yes	4.62	none	generaliz

Easier to assume everything is quantitative!

Quantitative

E.g. 3, 2.7, -43, 8.2, etc.

Categorical (or Boolean)

E.g. True/False, {"local", "generalized", ...}

Ordinal

E.g. {low, medium, high...}

Input: $\mathbf{x}$ $\xrightarrow{\text{predict}}$ Output: y , $y = f(\mathbf{x})$
Prediction *function*

Converting non-quantitative features

Patients with abdominal pain

	Age	Appendix Size	Migratory Pain	RBC Count	RBC Urine	Peritonitis
0	9.61	9.0	no	5.18	high	local
1	5.11	7.0	no	4.55	medium	local
2	10.75	5.0	no	4.79	none	no
3	10.51	9.0	no	5.03	none	local
4	7.3	6.2	yes	4.64	low	no
5	15.21	8.5	yes	4.62	low	no
6	15.83	12.0	yes	4.33	high	no
7	9.58	7.0	yes	5.04	low	generalized
8	10.37	5.5	no	4.8	none	no
9	16.66	9.0	yes	5.31	none	no
10	14.52	4.5	yes	4.9	none	no
11	10.74	9.0	no	5.66	none	local
12	12.41	3.7	no	5.49	none	no
13	6.67	3.5	no	5.27	none	no
14	14.36	9.0	yes	4.84	low	local
15	9.04	5.3	yes	4.92	low	no
16	12.43	12.0	yes	4.62	none	generalized

$\left\{ \begin{array}{l} \text{no} \rightarrow 0 \\ \text{yes} \rightarrow 1 \end{array} \right.$

Boolean features:
Convert to 0/1

Ordinal features:
Convert to sequential
integers 0, 1, 2, 3...

Categorical features:
Create 1 boolean feature
per possible value

$\left\{ \begin{array}{l} \text{Peritonitis} = \text{no} \rightarrow 1 \\ \text{otherwise} \rightarrow 0 \end{array} \right.$

$\left\{ \begin{array}{l} \text{Peritonitis} = \text{local} \rightarrow 1 \\ \text{otherwise} \rightarrow 0 \end{array} \right.$

$\left\{ \begin{array}{l} \text{Peritonitis} = \text{generalized} \rightarrow 1 \\ \text{otherwise} \rightarrow 0 \end{array} \right.$

Patients with abdominal pain

	Age	Appendix Size	Migratory Pain	RBC Count	RBC Urine	No Peritonitis	Local Peritonitis	Gen. Peritonitis
0	9.61	9.0	0	5.18	3	0	1	0
1	5.11	7.0	0	4.55	2	0	1	0
2	10.75	5.0	0	4.79	0	1	0	0
3	10.51	9.0	0	5.03	0	0	1	0
4	7.3	6.2	1	4.64	1	1	0	0
5	15.21	8.5	1	4.62	1	1	0	0
6	15.83	12.0	1	4.33	3	1	0	0
7	9.58	7.0	1	5.04	1	0	0	1
8	10.37	5.5	0	4.8	0	1	0	0
9	16.66	9.0	1	5.31	0	1	0	0
10	14.52	4.5	1	4.9	0	1	0	0
11	10.74	9.0	0	5.66	0	0	1	0
12	12.41	3.7	0	5.49	0	1	0	0
13	6.67	3.5	0	5.27	0	1	0	0
14	14.36	9.0	1	4.84	1	0	1	0
15	9.04	5.3	1	4.92	1	1	0	0
16	12.43	12.0	1	4.62	0	0	0	1

Mathematical abstraction


As table

Patients with abdominal pain

Observation

	Age	Appendix Size	Height	Weight	RBC Count	Temperature	WBC Count
0	16.66	9.0	174.0	65.0	5.31	36.6	6.6
1	10.74	9.0	146.0	57.5	5.66	37.3	10.2
2	9.04	5.3	134.0	29.4	4.92	36.0	5.1
3	10.75	5.0	155.0	54.5	4.79	37.7	10.3
4	7.3	6.2	123.0	23.5	4.64	37.4	21.1
5	5.11	7.0	116.0	22.0	4.55	40.2	19.4
6	14.36	9.0	163.0	50.0	4.84	37.5	14.3
7	9.61	9.0	140.0	29.2	5.18	38.7	14.3
8	15.83	12.0	153.0	59.0	4.33	36.7	12.8
9	9.58	7.0	132.0	24.7	5.04	38.4	13.5
10	10.37	5.5	156.0	39.0	4.8	37.4	5.6
11	14.52	4.5	181.0	55.0	4.9	37.0	9.0
12	12.41	3.7	150.5	42.5	5.49	37.2	9.1
13	6.67	3.5	124.0	38.5	5.27	39.6	16.8
14	15.21	8.5	155.0	85.0	4.62	36.8	12.4
15	12.43	12.0	157.0	46.0	4.62	37.1	16.4
16	10.51	9.0	134.5	27.0	5.03	37.4	12.8

Feature



As matrix

Observation

$X =$

16.66	9.0	174.0	65.0	5.31	36.6	6.6
10.74	9.0	146.0	57.5	5.66	37.3	10.2
9.04	5.3	134.0	29.4	4.92	36.0	5.1
10.75	5.0	155.0	54.5	4.79	37.7	10.3
7.3	6.2	123.0	23.5	4.64	37.4	21.1
5.11	7.0	116.0	22.0	4.55	40.2	19.4
14.36	9.0	163.0	50.0	4.84	37.5	14.3
9.61	9.0	140.0	29.2	5.18	38.7	14.3
15.83	12.0	153.0	59.0	4.33	36.7	12.8
9.58	7.0	132.0	24.7	5.04	38.4	13.5
10.37	5.5	156.0	39.0	4.8	37.4	5.6
14.52	4.5	181.0	55.0	4.9	37.0	9.0
12.41	3.7	150.5	42.5	5.49	37.2	9.1
6.67	3.5	124.0	38.5	5.27	39.6	16.8
15.21	8.5	155.0	85.0	4.62	36.8	12.4
12.43	12.0	157.0	46.0	4.62	37.1	16.4
10.51	9.0	134.5	27.0	5.03	37.4	12.8

Feature


N
(Obs.)

d
(features)

N x d Matrix: $X \in \mathbb{R}^{N \times d}$

Matrix, vector and scalar notation

As matrix



Notation warning!

As matrix

Observation

X

=

16.66	9.0	174.0	65.0	5.31	36.6	6.6
10.74	9.0	146.0	57.5	5.66	37.3	10.2
9.04	5.3	134.0	29.4	4.92	36.0	5.1
10.75	5.0	155.0	54.5	4.79	37.7	10.3
7.3	6.2	123.0	23.5	4.64	37.4	21.1
5.11	7.0	116.0	22.0	4.55	40.2	19.4
14.36	9.0	163.0	50.0	4.84	37.5	14.3
9.61	9.0	140.0	29.2	5.18	38.7	14.3
15.83	12.0	153.0	59.0	4.33	36.7	12.8
9.58	7.0	132.0	24.7	5.04	38.4	13.5
10.37	5.5	156.0	39.0	4.8	37.4	5.6
14.52	4.5	181.0	55.0	4.9	37.0	9.0
12.41	3.7	150.5	42.5	5.49	37.2	9.1
6.67	3.5	124.0	38.5	5.27	39.6	16.8
15.21	8.5	155.0	85.0	4.62	36.8	12.4
12.43	12.0	157.0	46.0	4.62	37.1	16.4
10.51	9.0	134.5	27.0	5.03	37.4	12.8

Vector

Notation:

$\mathbf{x}_8$

=

$\begin{bmatrix} 9.61 \\ 9.0 \\ 140.0 \\ 29.2 \\ 5.18 \\ 38.7 \\ 14.3 \end{bmatrix}$

/

Row
(Obs.)

In Python:

```
x[7]
✓ 0.0s Python
array([ 9.61,  9. , 140. , 29.2 ,  5.18, 38.7 , 14.3 ])
```

Column vector (d x 1 matrix)

Notation:

$\mathbf{x}_8$

=

$\begin{bmatrix} 9.61 \\ 9.0 \\ 140.0 \\ 29.2 \\ 5.18 \\ 38.7 \\ 14.3 \end{bmatrix}$

Same! Treat vectors as
column vectors where
applicable

In Python:

```
x[7][:, None]
✓ 0.0s Python
[[ 9.61]
 [ 9. ]
 [140. ]
 [ 29.2]
 [ 5.18]
 [ 38.7]
 [ 14.3]]
```

Row vector (1 x d matrix)

Notation:

$\mathbf{x}_8^T$

=


$[9.61 \ 9.0 \ 140.0 \ 29.2 \ 5.18 \ 38.7 \ 14.3]$

In Python:

```
x[7][None, :]
✓ 0.0s Python
array([[ 9.61,  9. , 140. , 29.2 ,  5.18, 38.7 , 14.3 ]])
```

Dataset


Set of known inputs and **outputs**



Some notation:

$$\mathcal{D} = \{(\mathbf{x}_1, y_1), (\mathbf{x}_2, y_2), \dots, (\mathbf{x}_N, y_N)\}$$


Quantitative outputs: *Regression*



$$\mathcal{D} = \{(\mathbf{x}_1, y_1), (\mathbf{x}_2, y_2), \dots, (\mathbf{x}_N, y_N)\}$$

Output domain: $y \in \mathbb{R}$

Categorical outputs: *Classification*




$$\mathcal{D} = \{(\mathbf{x}_1, y_1), (\mathbf{x}_2, y_2), \dots, (\mathbf{x}_N, y_N)\}$$

Output domain: $y \in \{0, 1\}$

Dataset

Set of known inputs and **outputs**



Input table

Patients with abdominal pain						
	Age	Appendix Size	Migratory Pain	RBC Count	RBC Urine	Peritonitis
0	9.61	9.0	no	5.18	high	local
1	5.11	7.0	no	4.55	medium	local
2	10.75	5.0	no	4.79	none	no
3	10.51	9.0	no	5.03	none	local
4	7.3	6.2	yes	4.64	low	no
5	15.21	8.5	yes	4.62	low	no
6	15.83	12.0	yes	4.33	high	no
7	9.58	7.0	yes	5.04	low	generalized
8	10.37	5.5	no	4.8	none	no
9	16.66	9.0	yes	5.31	none	no
10	14.52	4.5	yes	4.9	none	no
11	10.74	9.0	no	5.66	none	local
12	12.41	3.7	no	5.49	none	no
13	6.67	3.5	no	5.27	none	no
14	14.36	9.0	yes	4.84	low	local
15	9.04	5.3	yes	4.92	low	no
16	12.43	12.0	yes	4.62	none	generalized

Output table

Diagnosis	
	Diagnosis
0	appendicitis
1	no appendicitis
2	no appendicitis
3	no appendicitis
4	appendicitis
5	no appendicitis
6	no appendicitis
7	no appendicitis
8	no appendicitis
9	appendicitis
10	appendicitis
11	no appendicitis
12	no appendicitis
13	no appendicitis
14	appendicitis
15	no appendicitis
16	appendicitis

Mathematical abstraction

Labels become a vector



Patient 5
Age: 5.11
Pain: no
RBC: 4.55
Peritonitis: local

, **Yes**

Output table

	Diagnosis
0	appendicitis
1	no appendicitis
2	no appendicitis
3	no appendicitis
4	appendicitis
5	no appendicitis
6	no appendicitis
7	no appendicitis
8	no appendicitis
9	appendicitis
10	appendicitis
11	no appendicitis
12	no appendicitis
13	no appendicitis
14	appendicitis
15	no appendicitis
16	appendicitis

Converted

	Diagnosis
0	1
1	0
2	0
3	0
4	1
5	0
6	0
7	0
8	0
9	1
10	0
11	0
12	0
13	0
14	1
15	0
16	1

$y =$

1

0

0

0

1

0

0

0

0

0

1

1

0

0

0

1

0

1

N
(Obs.)

$y_5 = 1$
Index
(Obs.)